

Cristallo

www.mottura.com



Cristallo

Lamelle traslucide combinate anche con cassonetto Vintage, mantovana e fiocco in legno.

Traslucent slats combined also with Vintage wood headbox, pelmet and cord weight.

Lama translúcida combinada también con VINTAGE, terminal y pomo de madera.

Lama translúcida também combinada com VINTAGE, terminal e contrapêso de madeira.

Une lame translucide combinée également avec boîtier VINTAGE, barra de charge et gland en bois.

Lichtdurchlässige Lamellen sind auch mit der Kassette VINTAGE mit Blende und Schnurgewicht aus Holz kombinierbar.

Doorzichtige lamel gecombineerd met VINTAGE houten bovenbak, onderlat en kwastje.

Можно комбинировать светопрозрачные ламели с деревянным боксом Vintage, ламбрекеном и утяжелителем корда.

Cristallo

50/70 mm

PESO m²:
1,6 kg

OPZIONI FINITURA:
Nastro
25 mm (50 mm)
38 mm (70 mm)

CASS. STANDARD:
51x57 mm

50/70 mm

WEIGHT m²:
1,6 kg

FINISH:
Ladder tape
25 mm (50 mm)
38 mm (70 mm)

STANDARD HEAD RAIL:
51x57 mm

50/70 mm

PESO m²:
1,6 kg

OPCIÓN ACABADO:
Cinta de
25 mm (50 mm)
38 mm (70 mm)

CABEZAL ESTÁNDAR:
51x57 mm

50/70 mm

PESO m²:
1,6 kg

OPÇÕES ACABAMENTO:
Fita
25 mm (50 mm)
38 mm (70 mm)

CAIXA ESTANDARD:
51x57 mm

50/70 mm

POIDS m²:
1,6 kg

OPTION FINITION:
Ruban
25 mm (50 mm)
38 mm (70 mm)

BOÎTIER STANDARD:
51x57 mm

50/70 mm

GEWICHT m²:
1,6 kg

OBERFLÄCHENOPTIONEN:
Band
25 mm (50 mm)
38 mm (70 mm)

STANDARD KASSETTE:
51x57 mm

50/70 mm

GEWICHT m²:
1,6 kg

AFWERKING OPTIE:
Lint
25 mm (50 mm)
38 mm (70 mm)

STANDAARD
BOVENBAK:
51x57 mm

50/70 mm

Вес м²:
1,6 kg

ОПЦИИ ОТДЕЛКИ:
Лента
25 мм (50 мм)
38 мм (70 мм)

СТАНДАРТНЫЙ КОРОБ:
51x57 мм

INGOMBRI - OVERALL DIMENSIONS - ESPESORES - DIMENSÃO - ENCOMBREMENT - RAUMBEDARF - ПАККЕТ - ГАБАРИТЫ

H	50	70
600 mm	132 mm	130 mm
1000 mm	159 mm	154 mm
1500 mm	186 mm	178 mm
2000 mm	213 mm	202 mm
2500 mm	240 mm	227 mm
3000 mm	267 mm	251 mm

H=altezza

H=height

H=altura

H=altura


H=hauteur

H=Höhe


H=hoogte

H=высота


Cristallo




VR 9220
50, 70 mm



VR 9221
50, 70 mm



VR 9222
50 mm



VR 9223
50 mm