

Millerighe

www.mottura.com



Millerighe

Tipo di legno: Lamellare.
Mantovana e fiocco in alluminio.
Spessore della lama: 3 mm.

Type of wood: Engineered wood
Valance and curtain weight in
aluminium. Slot thickness: 3 mm.

Tipo de madeira: Madera laminada.
Cenefa y pomo de aluminio.
Espesor de la lama: 3 mm.

Tipo de madeira: Laminados de
madeira.
Sanefa e contrapêso em aluminio.
Espesor da lamela: 3 mm.

Type de bois: Bois stratifié.
Cantonnière et contrepoids en
aluminium. Épaisseur de lame: 3 mm.

Holz Typ: Holzlaminate.
Blende und Schnurgewicht aus
Aluminium. Lamellendicke: 3 mm.

Type hout: Wood laminaat.
Valance en aluminium handvat.
Lameldikte: 3 mm.

Вид дерева: пластинчатый
Алюминиевые ламбрекен и Утяжелитель
Толщина ламели: 3 мм

Millerighe

50/70 mm

PESO m²:
2,5 kg

OPZIONI FINITURA:
Corda o nastro
25 mm (50 mm)
38 mm (70 mm)

CASS. STANDARD:
51x57 mm

LARGHEZZA MASSIMA:
2500 mm

50/70 mm

POIDS m²:
2,5 kg

OPTION FINITION:
Échelle ou ruban
25 mm (50 mm)
38 mm (70 mm)

BOÎTIER STANDARD:
51x57 mm

LARGEUR MAXIMALE:
2500 mm

50/70 mm

WEIGHT m²:
2,5 kg

FINISH:
Ladder string or
ladder tape
25 mm (50 mm)
38 mm (70 mm)

STANDARD HEAD RAIL:
51x57 mm

MAXIMUM WIDTH:
2500 mm

50/70 mm

GEWICHT m²:
2,5 kg

OBERFLÄCHENOPTIONEN:
Schnur oder Band
25 mm (50 mm)
38 mm (70 mm)

STANDARD KASSETTE:
51x57 mm

MAXIMALE BREITE:
2500 mm

50/70 mm

PESO m²:
2,5 kg

OPCIÓN ACABADO:
Escalera o cinta de
25 mm (50 mm)
38 mm (70 mm)

CABEZAL ESTÁNDAR:
51x57 mm

ANCHO MÁXIMO:
2500 mm

50/70 mm

GEWICHT m²:
2,5 kg

AFWERKING OPTIE:
Koord of lint
25 mm (50 mm)
38 mm (70 mm)

STANDAARD
BOVENBAK:
51x57 mm

MAXIMALE BREEDTE:
2500 mm

50/70 mm

PESO m²:
2,5 kg

OPÇÕES ACABAMENTO:
Corda ou fita
25 mm (50 mm)
38 mm (70 mm)

CAIXA ESTANDARD:
51x57 mm

LARGURA MÁXIMA:
2500 mm

50/70 мм

ВЕС м:
2,5 кг

ОПЦИИ ОТДЕЛКИ:
Верёвка либо лента
25 мм (50 мм)
38 мм (70 мм)

СТАНДАРТНЫЙ КОРОБ:
51x57 мм

МАКСИМАЛЬНАЯ ШИРИНА:
2500 мм

Millerighe



VH 9301
50, 70 mm



VH 9308
50, 70 mm



VH 9303
50, 70 mm



VH 9306
50, 70 mm



VH 9307
50, 70 mm



VH 9304
50, 70 mm



VH 9305
50, 70 mm



VH 9302
50, 70 mm